Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2004 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Acids

Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).

Adhesive bonding

Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).

Aggregate gradation

Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).

Aggregates

Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).

Discrete Element Modeling to Predict the Modulus of Asphalt Concrete Mixtures. — Z. You and W. G. Buttlar; 16(2), 140-6 (2004).

Compression and Deformation Performance of Concrete Containing Postconsumer Plastics. — Ashraf M. Ghaly and Michael S. Gill; 16(4), 289-96 (2004).

Recycling of Demolished Masonry Rubble as Coarse Aggregate in Concrete: Review. — Fouad M. Khalaf and Alan S. DeVenny; 16(4), 331-40 (2004).

Select Engineering Characteristics of Crushed Glass. — Joseph Wartman, Dennis G. Grubb, and A. S. M. Nasim; 16(6), 526-39 (2004).

Performance of Brick Aggregate Concrete at High Temperatures. — Fouad M. Khalaf and Alan S. DeVenny; 16(6), 556-65 (2004).

Potential Use of Volcanic Pumice as a Construction Material. — Khandaker M. Anwar Hossain; 16(6), 573-7 (2004).

Prediction of Hot Mix Asphalt Stability Using the Superpave Gyratory Compactor. — Samer Dessouky, Eyad Masad, and Fouad Bayomy; 16(6), 578-87 (2004).

Treatments for the Improvement of Recycled Aggregate. — Amnon Katz; 16(6), 597-603 (2004).

Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Aging

Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).

Influence of Environmental Aging on Properties of Polymeric Mortars. — M. A. Gonçalves da Silva; 16(5), 461-8 (2004).

Alkalinity

Testing the Effectiveness of Class C and Class F Fly Ash in Controlling Expansion due to Alkali-Silica Reaction Using Modified ASTM C 1260 Test Method. — Chang-Seon Shon, Shondeep L. Sarkar, and Dan G. Zollinger; 16(1), 20-7 (2004).

Ashes

Utilization of Palm Oil Fuel Ash in High-Strength Concrete. — Vanchai Sata, Chai Jaturapitakkul, and Kraiwood Kiattikomol; 16(6), 623-8 (2004).

Asphalt

Micromechanical Modeling of Steady-State Deformation in Asphalt. — V. S. Deshpande and D. Cebon; 16(2), 100-6 (2004).

Asphalt cement

Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).

Linear Viscoelastic Analysis of Asphalt Mastics. — Yong-Rak Kim and D. N. Little; 16(2), 122-32 (2004).

Asphalt concrete

Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).

Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).

Thermodynamic Framework for the Constitutive Modeling of Asphalt Concrete: Theory and Applications. — J. Murali Krishnan and K. R. Rajagopal; 16(2), 155-66 (2004).

Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).

Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).

Fatigue Characteristics of Asphalt Concrete from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 16(4), 306-14 (2004).

Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).

Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Asphalt mixes

Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).

Evaluating Four-Point Bend Fatigue of Asphalt Mix Using Image Analysis. — A. M. Hartman and M. D. Gilchrist; 16(1), 60-8 (2004).

Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).

Discrete Element Modeling to Predict the Modulus of Asphalt Concrete Mixtures. — Z. You and W. G. Buttlar; 16(2), 140-6 (2004).

Application of a Temperature Dependent Viscoplastic Hierarchical Single Surface Model for Asphalt Mixtures. — Baoshan Huang, Louay N. Mohammad, and G. Wije Wathugala; 16(2), 147-54 (2004).

Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).

Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).

Prediction of Hot Mix Asphalt Stability Using the Superpave Gyratory Compactor. — Samer Dessouky, Eyad Masad, and Fouad Bayomy; 16(6), 578-87 (2004).

Linear Viscoelastic and Fatigue Characteristics of Styrene–Butadiene–Styrene Modified Asphalt Mixtures. — Robert Lundström and Ulf Isacsson; 16(6), 629-38 (2004).

Asphalt pavements

Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).

Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).

Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).

Civil Engineering Database Subject Heading Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1970. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2004 from a CEDB subject heading list. The CEDB and subject heading list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Acids

Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).

Adhesive bonding

Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).

Aggregate gradation

Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).

Aggregates

Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).

Discrete Element Modeling to Predict the Modulus of Asphalt Concrete Mixtures. — Z. You and W. G. Buttlar; 16(2), 140-6 (2004).

Compression and Deformation Performance of Concrete Containing Postconsumer Plastics. — Ashraf M. Ghaly and Michael S. Gill; 16(4), 289-96 (2004).

Recycling of Demolished Masonry Rubble as Coarse Aggregate in Concrete: Review. — Fouad M. Khalaf and Alan S. DeVenny; 16(4), 331-40 (2004).

Select Engineering Characteristics of Crushed Glass. — Joseph Wartman, Dennis G. Grubb, and A. S. M. Nasim; 16(6), 526-39 (2004).

Performance of Brick Aggregate Concrete at High Temperatures. — Fouad M. Khalaf and Alan S. DeVenny; 16(6), 556-65 (2004).

Potential Use of Volcanic Pumice as a Construction Material. — Khandaker M. Anwar Hossain; 16(6), 573-7 (2004).

Prediction of Hot Mix Asphalt Stability Using the Superpave Gyratory Compactor. — Samer Dessouky, Eyad Masad, and Fouad Bayomy; 16(6), 578-87 (2004).

Treatments for the Improvement of Recycled Aggregate. — Amnon Katz; 16(6), 597-603 (2004).

Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Aging

Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).

Influence of Environmental Aging on Properties of Polymeric Mortars. — M. A. Gonçalves da Silva; 16(5), 461-8 (2004).

Alkalinity

Testing the Effectiveness of Class C and Class F Fly Ash in Controlling Expansion due to Alkali-Silica Reaction Using Modified ASTM C 1260 Test Method. — Chang-Seon Shon, Shondeep L. Sarkar, and Dan G. Zollinger; 16(1), 20-7 (2004).

Ashes

Utilization of Palm Oil Fuel Ash in High-Strength Concrete. — Vanchai Sata, Chai Jaturapitakkul, and Kraiwood Kiattikomol; 16(6), 623-8 (2004).

Asphalt

Micromechanical Modeling of Steady-State Deformation in Asphalt. — V. S. Deshpande and D. Cebon; 16(2), 100-6 (2004).

Asphalt cement

Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).

Linear Viscoelastic Analysis of Asphalt Mastics. — Yong-Rak Kim and D. N. Little; 16(2), 122-32 (2004).

Asphalt concrete

Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).

Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).

Thermodynamic Framework for the Constitutive Modeling of Asphalt Concrete: Theory and Applications. — J. Murali Krishnan and K. R. Rajagopal; 16(2), 155-66 (2004).

Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).

Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).

Fatigue Characteristics of Asphalt Concrete from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 16(4), 306-14 (2004).

Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).

Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Asphalt mixes

Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).

Evaluating Four-Point Bend Fatigue of Asphalt Mix Using Image Analysis. — A. M. Hartman and M. D. Gilchrist; 16(1), 60-8 (2004).

Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).

Discrete Element Modeling to Predict the Modulus of Asphalt Concrete Mixtures. — Z. You and W. G. Buttlar; 16(2), 140-6 (2004).

Application of a Temperature Dependent Viscoplastic Hierarchical Single Surface Model for Asphalt Mixtures. — Baoshan Huang, Louay N. Mohammad, and G. Wije Wathugala; 16(2), 147-54 (2004).

Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).

Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).

Prediction of Hot Mix Asphalt Stability Using the Superpave Gyratory Compactor. — Samer Dessouky, Eyad Masad, and Fouad Bayomy; 16(6), 578-87 (2004).

Linear Viscoelastic and Fatigue Characteristics of Styrene–Butadiene–Styrene Modified Asphalt Mixtures. — Robert Lundström and Ulf Isacsson; 16(6), 629-38 (2004).

Asphalt pavements

Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).

Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).

Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).

Asphalts
Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).
Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).
Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).

Barriers
Contaminant Barrier Material Textural Response to Interaction with Aqueous Polymers. — John L. Daniels and Hilary I. Inyang; 16(3), 265-75 (2004).

Bars
Impact Response of Steel Fiber-Reinforced Concrete Using a Split Hopkinson Pressure Bar. — T. S. Lok and P. J. Zhao; 16(1), 54-9 (2004).
Comparison of Bond Strength of Steel Bars in Normal- and High-Strength Concrete. — M. H. Harajli; 16(4), 365-74 (2004).

Binders, materials
Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).
Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).
Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).

Bitumen
Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Blocks
Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).

Bonding strength
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).
Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).
Comparison of Bond Strength of Steel Bars in Normal- and High-Strength Concrete. — M. H. Harajli; 16(4), 365-74 (2004).

Bottom ash
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Boundary element method
Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).

Brick masonry
Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).

Bricks
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).
Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).
Performance of Brick Aggregate Concrete at High Temperatures. — Fouad M. Khalaf and Alan S. DeVenny; 16(6), 556-65 (2004).

Bridge maintenance
Environmental Factors Affecting Corrosion of Galvanized Steel Wires. — Keita Suzumura and Shun-ichi Nakamura; 16(1), 1-7 (2004).

Bridges, suspension
Environmental Factors Affecting Corrosion of Galvanized Steel Wires. — Keita Suzumura and Shun-ichi Nakamura; 16(1), 1-7 (2004).

Building frames
Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).

Building materials
Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).

Bulk density
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgiò Zanarini; 16(1), 8-14 (2004).

Buried pipes
Constitutive Model for High Density Polyethylene Material: Systematic Approach. — Muhannad T. Suleiman and Brian J. Coree; 16(6), 511-5 (2004).

Calcium sulfate
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Carbon
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).

Carbonation
Carbonation-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 16(1), 91-4 (2004).

Cast iron
Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).

Cathodic protection
Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).

Cements
Testing the Effectiveness of Class C and Class F Fly Ash in Controlling Expansion due to Alkali-Silica Reaction Using Modified ASTM C 1260 Test Method. — Chang-Seon Shon, Shondeep L. Sarkar, and Dan G. Zollinger; 16(1), 20-7 (2004).
Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).
Steel Slag—Its Production, Processing, Characteristics, and Cementitious Properties. — Caijun Shi; 16(3), 230-6 (2004).
Potential Use of Volcanic Pumice as a Construction Material. — Khandaker M. Anwar Hossain; 16(6), 573-7 (2004).

Clays
Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).
Contaminant Barrier Material Textural Response to Interaction with Aqueous Polymers. — John L. Daniels and Hilary I. Inyang; 16(3), 265-75 (2004).
Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Color
Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).

Compaction
Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).
Prediction of Hot Mix Asphalt Stability Using the Superpave Gyratory Compactor. — Samer Dessouky, Eyad Masad, and Fouad Bayomy; 16(6), 578-87 (2004).

Composite materials
Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).

Compression
Failure Mechanism of Concrete under Fatigue Compressive Load. — Bin Mu, Kolluru V. Subramaniam, and S. P. Shah; 16(6), 566-72 (2004).

Compressive strength
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).
Application of Neural Networks for Estimation of

Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).

Compressive tests

Influence of Environmental Aging on Properties of Polymeric Mortars. — M. A. Gonçalves da Silva; 16(5), 461-8 (2004).

Computer software

Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).

Concentrated loads

Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).

Concrete

Carbonation-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 16(1), 91-4 (2004).

Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).

Yield Model of High Fluidity Concrete in Fresh State. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 195-201 (2004).

Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).

Application of Neural Networks for Estimation of Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).

Compression and Deformation Performance of Concrete Containing Postconsumer Plastics. — Ashraf M. Ghaly and Michael S. Gill; 16(4), 289-96 (2004).

Recycling of Demolished Masonry Rubble as Coarse Aggregate in Concrete: Review. — Fouad M. Khalaf and Alan S. DeVenny; 16(4), 331-40 (2004).

Performance of Brick Aggregate Concrete at High Temperatures. — Fouad M. Khalaf and Alan S. DeVenny; 16(6), 556-65 (2004).

Failure Mechanism of Concrete under Fatigue Compressive Load. — Bin Mu, Kolluru V. Subramaniam, and S. P. Shah; 16(6), 566-72 (2004).

Flow Performance of High-Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(6), 588-96 (2004).

Treatments for the Improvement of Recycled Aggregate. — Amnon Katz; 16(6), 597-603 (2004).

Concrete blocks

Potential Use of Volcanic Pumice as a Construction Material. — Khandaker M. Anwar Hossain; 16(6), 573-7 (2004).

Concrete structures

Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).

Concrete, reinforced

Impact Response of Steel Fiber-Reinforced Concrete Using a Split Hopkinson Pressure Bar. — T. S. Lok and P. J. Zhao; 16(1), 54-9 (2004).

Influence of Fiber-Reinforced Concrete on Radon Concentrations. — Robert A. Brounstein and William H. Johnson; 16(6), 646-9 (2004).

Configuration

Thermodynamic Framework for the Constitutive Modeling of Asphalt Concrete: Theory and Applications. — J. Murali Krishnan and K. R. Rajagopal; 16(2), 155-66 (2004).

Constitutive models

Thermodynamic Framework for the Constitutive Modeling of Asphalt Concrete: Theory and Applications. — J. Murali Krishnan and K. R. Rajagopal; 16(2), 155-66 (2004).

Constitutive Model for High Density Polyethylene Material: Systematic Approach. — Muhannad T. Suleiman and Brian J. Coree; 16(6), 511-5 (2004).

Linear Viscoelastic and Fatigue Characteristics of Styrene–Butadiene–Styrene Modified Asphalt Mixtures. — Robert Lundström and Ulf Isacsson; 16(6), 629-38 (2004).

Constitutive relations

Constitutive Model for Confined High Strength Concrete Subjected to Cyclic Loading. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 16(4), 297-305 (2004).

Construction materials

Permeable Porosity and Thermal Conductivity of Construction Materials. — B. Bhattacharjee and S. Krishnamoorthy; 16(4), 322-30 (2004).

Potential Use of Volcanic Pumice as a Construction Material. — Khandaker M. Anwar Hossain; 16(6), 573-7 (2004).

Influence of Fiber-Reinforced Concrete on Radon Concentrations. — Robert A. Brounstein and William H. Johnson; 16(6), 646-9 (2004).

Corrosion

Environmental Factors Affecting Corrosion of Galvanized Steel Wires. — Keita Suzumura and Shun-ichi Nakamura; 16(1), 1-7 (2004).

Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).

Reanalysis of Thickness Loss Data for Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 16(3), 237-46 (2004).

Corrosion control

Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).

Crack propagation

Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).

Fatigue Characteristics of Asphalt Concrete from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 16(4), 306-14 (2004).

Cracking

Mechanical Characteristics of Axially Restrained Concrete Specimens at Early Ages. — Eun-Ik Yang, Seong-Tae Yi, and Hyun-Jong Lee; 16(1), 35-44 (2004).

Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).

Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).

Contaminant Barrier Material Textural Response to Interaction with Aqueous Polymers. — John L. Daniels and Hilary I. Inyang; 16(3), 265-75 (2004).

Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).

Fatigue Characteristics of Asphalt Concrete from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 16(4), 306-14 (2004).

Creep

Mechanical Characteristics of Axially Restrained Concrete Specimens at Early Ages. — Eun-Ik Yang, Seong-Tae Yi, and Hyun-Jong Lee; 16(1), 35-44 (2004).

Cyclic loads

Constitutive Model for Confined High Strength Concrete Subjected to Cyclic Loading. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 16(4), 297-305 (2004).

Cyclic tests

Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).

Damage assessment

Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).

Data analysis

Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).

Reanalysis of Thickness Loss Data for Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 16(3), 237-46 (2004).

Deformation

Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).

Micromechanical Modeling of Steady-State Deformation in Asphalt. — V. S. Deshpande and D. Cebon; 16(2), 100-6 (2004).

Compression and Deformation Performance of Concrete Containing Postconsumer Plastics. — Ashraf M. Ghaly and Michael S. Gill; 16(4), 289-96 (2004).

Density

Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Digital techniques

Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).

Dilatancy

Micromechanical Modeling of Steady-State Deformation in Asphalt. — V. S. Deshpande and D. Cebon; 16(2), 100-6 (2004).

Discrete elements

Discrete Element Modeling to Predict the Modulus of Asphalt Concrete Mixtures. — Z. You and W. G. Buttlar; 16(2), 140-6 (2004).

Ductility

Constitutive Model for Confined High Strength Concrete Subjected to Cyclic Loading. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 16(4), 297-305 (2004).

Durability
Influence of Environmental Aging on Properties of Polymeric Mortars. — M. A. Gonçalves da Silva; 16(5), 461-8 (2004).
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).
Environmental issues
Recycling of Demolished Masonry Rubble as Coarse Aggregate in Concrete: Review. — Fouad M. Khalaf and Alan S. DeVenny; 16(4), 331-40 (2004).
Epoxy coatings
Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).
Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).
Estimation
Application of Neural Networks for Estimation of Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).
Expansion
Testing the Effectiveness of Class C and Class F Fly Ash in Controlling Expansion due to Alkali-Silica Reaction Using Modified ASTM C 1260 Test Method. — Chang-Seon Shon, Shondeep L. Sarkar, and Dan G. Zollinger; 16(1), 20-7 (2004).
Experimentation
Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).
Failure load
Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).
Failures
Failure Mechanism of Concrete under Fatigue Compressive Load. — Bin Mu, Kolluru V. Subramaniam, and S. P. Shah; 16(6), 566-72 (2004).
Fatigue
Evaluating Four-Point Bend Fatigue of Asphalt Mix Using Image Analysis. — A. M. Hartman and M. D. Gilchrist; 16(1), 60-8 (2004).
Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).
Failure Mechanism of Concrete under Fatigue Compressive Load. — Bin Mu, Kolluru V. Subramaniam, and S. P. Shah; 16(6), 566-72 (2004).
Linear Viscoelastic and Fatigue Characteristics of Styrene–Butadiene–Styrene Modified Asphalt Mixtures. — Robert Lundström and Ulf Isacsson; 16(6), 629-38 (2004).
Fatigue strength
Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).
Fatigue tests
Fatigue Characteristics of Asphalt Concrete from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 16(4), 306-14 (2004).
Fiber reinforced materials
Impact Response of Steel Fiber-Reinforced Concrete Using a Split Hopkinson Pressure Bar. — T. S. Lok and P. J. Zhao; 16(1), 54-9 (2004).
Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).
Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).
Influence of Fiber-Reinforced Concrete on Radon Concentrations. — Robert A. Brounstein and William H. Johnson; 16(6), 646-9 (2004).
Fiber reinforced plastics
Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).
Fiber reinforced polymers
Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).
Finite element method
Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).
Fire resistance
Stress-Strain Curves for High Strength Concrete at Elevated Temperatures. — Fu-Ping Cheng, V. K. R. Kodur, and Tien-Chih Wang; 16(1), 84-90 (2004).
Flexible pavements
Crumb Rubber-Bitumen Interactions: Diffusion of Bitumen into Rubber. — Panagiotis Frantzis; 16(4), 387-90 (2004).
Flexible pipes
Constitutive Model for High Density Polyethylene Material: Systematic Approach. — Muhannad T. Suleiman and Brian J. Coree; 16(6), 511-5 (2004).
Flexural strength
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).
Flexure
Evaluating Four-Point Bend Fatigue of Asphalt Mix Using Image Analysis. — A. M. Hartman and M. D. Gilchrist; 16(1), 60-8 (2004).
Flocculation
Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).
Fluid flow
Flow Performance of High-Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(6), 588-96 (2004).
Fly ash
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).
Testing the Effectiveness of Class C and Class F Fly Ash in Controlling Expansion due to Alkali-Silica Reaction Using Modified ASTM C 1260 Test Method. — Chang-Seon Shon, Shondeep L. Sarkar, and Dan G. Zollinger; 16(1), 20-7 (2004).
Carbonation-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 16(1), 91-4 (2004).
Fracture mechanics
Evaluating Four-Point Bend Fatigue of Asphalt Mix Using Image Analysis. — A. M. Hartman and M. D. Gilchrist; 16(1), 60-8 (2004).
Fractures
Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).
Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).
Freeze-thaw
Contaminant Barrier Material Textural Response to Interaction with Aqueous Polymers. — John L. Daniels and Hilary I. Inyang; 16(3), 265-75 (2004).
Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).
Friction
Yield Model of High Fluidity Concrete in Fresh State. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 195-201 (2004).
Glass
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).
Select Engineering Characteristics of Crushed Glass. — Joseph Wartman, Dennis G. Grubb, and A. S. M. Nasim; 16(6), 526-39 (2004).
Gradients
Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).
High strength concretes
Mechanical Characteristics of Axially Restrained Concrete Specimens at Early Ages. — Eun-Ik Yang, Seong-Tae Yi, and Hyun-Jong Lee; 16(1), 35-44 (2004).
Stress-Strain Curves for High Strength Concrete at Elevated Temperatures. — Fu-Ping Cheng, V. K. R. Kodur, and Tien-Chih Wang; 16(1), 84-90 (2004).
Constitutive Model for Confined High Strength Concrete Subjected to Cyclic Loading. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 16(4), 297-305 (2004).
Comparison of Bond Strength of Steel Bars in Normal- and High-Strength Concrete. — M. H. Harajli; 16(4), 365-74 (2004).
Utilization of Palm Oil Fuel Ash in High-Strength Concrete. — Vanchai Sata, Chai Jaturapitakkul, and Kraiwood Kiattikomol; 16(6), 623-8 (2004).

Hydration
Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).

Image analysis
Evaluating Four-Point Bend Fatigue of Asphalt Mix Using Image Analysis. — A. M. Hartman and M. D. Gilchrist; 16(1), 60-8 (2004).
Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).

Interaction models
Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).

Laboratory tests
Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).
Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).

Landfills
Compression and Deformation Performance of Concrete Containing Postconsumer Plastics. — Ashraf M. Ghaly and Michael S. Gill; 16(4), 289-96 (2004).

Lightweight concrete
Potential Use of Volcanic Pumice as a Construction Material. — Khandaker M. Anwar Hossain; 16(6), 575-7 (2004).

Linear analysis
Linear Viscoelastic Analysis of Asphalt Mastics. — Yong-Rak Kim and D. N. Little; 16(2), 122-32 (2004).

Loads
Failure Mechanism of Concrete under Fatigue Compressive Load. — Bin Mu, Kolluru V. Subramaniam, and S. P. Shah; 16(6), 566-72 (2004).

Masonry
Recycling of Demolished Masonry Rubble as Coarse Aggregate in Concrete: Review. — Fouad M. Khalaf and Alan S. DeVenny; 16(4), 331-40 (2004).
Performance of Brick Aggregate Concrete at High Temperatures. — Fouad M. Khalaf and Alan S. DeVenny; 16(6), 556-65 (2004).

Material failure
Evaluating Four-Point Bend Fatigue of Asphalt Mix Using Image Analysis. — A. M. Hartman and M. D. Gilchrist; 16(1), 60-8 (2004).

Material failures
Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).

Material properties
Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).
Select Engineering Characteristics of Crushed Glass. — Joseph Wartman, Dennis G. Grubb, and A. S. M. Nasim; 16(6), 526-39 (2004).

Mechanical properties
Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).
Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).
Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).
Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).
Influence of Environmental Aging on Properties of Polymeric Mortars. — M. A. Gonçalves da Silva; 16(5), 461-8 (2004).

Metals
Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).

Micromechanics
Micromechanical Modeling of Steady-State Deformation in Asphalt. — V. S. Deshpande and D. Cebon; 16(2), 100-6 (2004).
Linear Viscoelastic Analysis of Asphalt Mastics. — Yong-Rak Kim and D. N. Little; 16(2), 122-32 (2004).
Discrete Element Modeling to Predict the Modulus of Asphalt Concrete Mixtures. — Z. You and W. G. Buttlar; 16(2), 140-6 (2004).

Microscopy
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Microstructure
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).
Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).
Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).
Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).
Treatments for the Improvement of Recycled Aggregate. — Amnon Katz; 16(6), 597-603 (2004).

Mineral analysis
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Mineralogy
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Mixing
Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).
Application of Neural Networks for Estimation of Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).

Mixtures
Application of a Temperature Dependent Viscoplastic Hierarchical Single Surface Model for Asphalt Mixtures. — Baoshan Huang, Louay N. Mohammad, and G. Wije Wathugala; 16(2), 147-54 (2004).
Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Models
Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).
Micromechanical Modeling of Steady-State Deformation in Asphalt. — V. S. Deshpande and D. Cebon; 16(2), 100-6 (2004).
Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).
Discrete Element Modeling to Predict the Modulus of Asphalt Concrete Mixtures. — Z. You and W. G. Buttlar; 16(2), 140-6 (2004).
Application of a Temperature Dependent Viscoplastic Hierarchical Single Surface Model for Asphalt Mixtures. — Baoshan Huang, Louay N. Mohammad, and G. Wije Wathugala; 16(2), 147-54 (2004).
Permeable Porosity and Thermal Conductivity of Construction Materials. — B. Bhattacharjee and S. Krishnamoorthy; 16(4), 322-30 (2004).
Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).

Moisture
Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).
Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Mortars
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).
Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).
Influence of Environmental Aging on Properties of Polymeric Mortars. — M. A. Gonçalves da Silva; 16(5), 461-8 (2004).

Neural networks
Application of Neural Networks for Estimation of Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).

Nevada
Influence of Fiber-Reinforced Concrete on Radon Concentrations. — Robert A. Brounstein and William H. Johnson; 16(6), 646-9 (2004).

Nonlinear analysis
Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).

Particle interactions
Flow Performance of High-Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(6), 588-96 (2004).

Particles
Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Pavement deterioration
Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).

Pavements
Thermodynamic Framework for the Constitutive Modeling of Asphalt Concrete: Theory and Applications. — J. Murali Krishnan and K. R. Rajagopal; 16(2), 155-66 (2004).
Fatigue Characteristics of Asphalt Concrete from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 16(4), 306-14 (2004).
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Permeability
Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).

Piles
Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).

Pipes
Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).

Plastic pipes
Constitutive Model for High Density Polyethylene Material: Systematic Approach. — Muhannad T. Suleiman and Brian J. Coree; 16(6), 511-5 (2004).

Plastics
Compression and Deformation Performance of Concrete Containing Postconsumer Plastics. — Ashraf M. Ghaly and Michael S. Gill; 16(4), 289-96 (2004).
Crumb Rubber-Bitumen Interactions: Diffusion of Bitumen into Rubber. — Panagiotis Frantzis; 16(4), 387-90 (2004).

Plates
Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).

Polyethylene
Constitutive Model for High Density Polyethylene Material: Systematic Approach. — Muhannad T. Suleiman and Brian J. Coree; 16(6), 511-5 (2004).
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).

Polymer concrete
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).

Polymers
Contaminant Barrier Material Textural Response to Interaction with Aqueous Polymers. — John L. Daniels and Hilary I. Inyang; 16(3), 265-75 (2004).
Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).
Influence of Environmental Aging on Properties of Polymeric Mortars. — M. A. Gonçalves da Silva; 16(5), 461-8 (2004).
Linear Viscoelastic and Fatigue Characteristics of Styrene–Butadiene–Styrene Modified Asphalt Mixtures. — Robert Lundström and Ulf Isacsson; 16(6), 629-38 (2004).

Porosity
Carbonation-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 16(1), 91-4 (2004).
Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).
Permeable Porosity and Thermal Conductivity of Construction Materials. — B. Bhattacharjee and S. Krishnamoorthy; 16(4), 322-30 (2004).

Portland cements
Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).

Pull-out resistance
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).

Pumice
Potential Use of Volcanic Pumice as a Construction Material. — Khandaker M. Anwar Hossain; 16(6), 573-7 (2004).

Quality control
Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).

Radiography
Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).

Radon
Influence of Fiber-Reinforced Concrete on Radon Concentrations. — Robert A. Brounstein and William H. Johnson; 16(6), 646-9 (2004).

Recycling
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).
Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).
Steel Slag—Its Production, Processing, Characteristics, and Cementitious Properties. — Caijun Shi; 16(3), 230-6 (2004).
Compression and Deformation Performance of Concrete Containing Postconsumer Plastics. — Ashraf M. Ghaly and Michael S. Gill; 16(4), 289-96 (2004).
Recycling of Demolished Masonry Rubble as Coarse Aggregate in Concrete: Review. — Fouad M. Khalaf and Alan S. DeVenny; 16(4), 331-40 (2004).
Crumb Rubber-Bitumen Interactions: Diffusion of Bitumen into Rubber. — Panagiotis Frantzis; 16(4), 387-90 (2004).
Select Engineering Characteristics of Crushed Glass. — Joseph Wartman, Dennis G. Grubb, and A. S. M. Nasim; 16(6), 526-39 (2004).
Performance of Brick Aggregate Concrete at High Temperatures. — Fouad M. Khalaf and Alan S. DeVenny; 16(6), 556-65 (2004).
Treatments for the Improvement of Recycled Aggregate. — Amnon Katz; 16(6), 597-603 (2004).
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).
Utilization of Palm Oil Fuel Ash in High-Strength Concrete. — Vanchai Sata, Chai Jaturapitakkul, and Kraiwood Kiattikomol; 16(6), 623-8 (2004).

Rehabilitation
Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).

Residual strength
Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).

Rheological properties
Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).

Rheology
Linear Viscoelastic Analysis of Asphalt Mastics. — Yong-Rak Kim and D. N. Little; 16(2), 122-32 (2004).
Linear Viscoelastic and Fatigue Characteristics of Styrene–Butadiene–Styrene Modified Asphalt Mixtures. — Robert Lundström and Ulf Isacsson; 16(6), 629-38 (2004).

Rubber
Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).
Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).

Crumb Rubber-Bitumen Interactions: Diffusion of Bitumen into Rubber. — Panagiotis Frantzis; 16(4), 387-90 (2004).

Sampling

Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Seismic analysis

Constitutive Model for Confined High Strength Concrete Subjected to Cyclic Loading. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 16(4), 297-305 (2004).

Shear strength

Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).

Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Shear stress

Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).

Shrinkage

Mechanical Characteristics of Axially Restrained Concrete Specimens at Early Ages. — Eun-Ik Yang, Seong-Tae Yi, and Hyun-Jong Lee; 16(1), 35-44 (2004).

Simple shear tests

Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).

Slabs

Fatigue Characteristics of Asphalt Concrete from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 16(4), 306-14 (2004).

Slag

Steel Slag—Its Production, Processing, Characteristics, and Cementitious Properties. — Caijun Shi; 16(3), 230-6 (2004).

Soil stabilization

Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Splitting

Comparison of Bond Strength of Steel Bars in Normal- and High-Strength Concrete. — M. H. Harajli; 16(4), 365-74 (2004).

Stability

Prediction of Hot Mix Asphalt Stability Using the Superpave Gyratory Compactor. — Samer Dessouky, Eyad Masad, and Fouad Bayomy; 16(6), 578-87 (2004).

Statistical analysis

Reanalysis of Thickness Loss Data for Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 16(3), 237-46 (2004).

Steel

Impact Response of Steel Fiber-Reinforced Concrete Using a Split Hopkinson Pressure Bar. — T. S. Lok and P. J. Zhao; 16(1), 54-9 (2004).

Steel Slag—Its Production, Processing, Characteristics, and Cementitious Properties. — Caijun Shi; 16(3), 230-6 (2004).

Reanalysis of Thickness Loss Data for Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 16(3), 237-46 (2004).

Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).

Comparison of Bond Strength of Steel Bars in Normal- and High-Strength Concrete. — M. H. Harajli; 16(4), 365-74 (2004).

Steel cables

Environmental Factors Affecting Corrosion of Galvanized Steel Wires. — Keita Suzumura and Shun-ichi Nakamura; 16(1), 1-7 (2004).

Stiffness

Discrete Element Modeling to Predict the Modulus of Asphalt Concrete Mixtures. — Z. You and W. G. Buttlar; 16(2), 140-6 (2004).

Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).

Strain distribution

Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).

Strain rate

Impact Response of Steel Fiber-Reinforced Concrete Using a Split Hopkinson Pressure Bar. — T. S. Lok and P. J. Zhao; 16(1), 54-9 (2004).

Strength

Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).

Carbonation-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 16(1), 91-4 (2004).

Stress analysis

Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).

Stress strain curves

Stress-Strain Curves for High Strength Concrete at Elevated Temperatures. — Fu-Ping Cheng, V. K. R. Kodur, and Tien-Chih Wang; 16(1), 84-90 (2004).

Stripping

Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).

Subgrades

Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Temperature

Stress-Strain Curves for High Strength Concrete at Elevated Temperatures. — Fu-Ping Cheng, V. K. R. Kodur, and Tien-Chih Wang; 16(1), 84-90 (2004).

Application of a Temperature Dependent Viscoplastic Hierarchical Single Surface Model for Asphalt Mixtures. — Baoshan Huang, Louay N. Mohammad, and G. Wije Wathugala; 16(2), 147-54 (2004).

Yield Model of High Fluidity Concrete in Fresh State. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 195-201 (2004).

Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).

Performance of Brick Aggregate Concrete at High Temperatures. — Fouad M. Khalaf and Alan S. DeVenny; 16(6), 556-65 (2004).

Temperature effects

Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).

Tensile strength

Mechanical Characteristics of Axially Restrained Concrete Specimens at Early Ages. — Eun-Ik Yang, Seong-Tae Yi, and Hyun-Jong Lee; 16(1), 35-44 (2004).

Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).

Textiles

Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).

Thailand

Utilization of Palm Oil Fuel Ash in High-Strength Concrete. — Vanchai Sata, Chai Jaturapitakkul, and Kraiwood Kiattikomol; 16(6), 623-8 (2004).

Thermal analysis

Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Thermal insulation

Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).

Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).

Potential Use of Volcanic Pumice as a Construction Material. — Khandaker M. Anwar Hossain; 16(6), 573-7 (2004).

Thermal properties

Permeable Porosity and Thermal Conductivity of Construction Materials. — B. Bhattacharjee and S. Krishnamoorthy; 16(4), 322-30 (2004).

Thermodynamics

Thermodynamic Framework for the Constitutive Modeling of Asphalt Concrete: Theory and Applications. — J. Murali Krishnan and K. R. Rajagopal; 16(2), 155-66 (2004).

Ties

Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).

Time dependence

Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).

Tires

Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).

Crumb Rubber-Bitumen Interactions: Diffusion of Bitumen into Rubber. — Panagiotis Frantzis; 16(4), 387-90 (2004).

Triaxial tests

Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).

Underground structures
Influence of Fiber-Reinforced Concrete on Radon Concentrations. — Robert A. Brounstein and William H. Johnson; 16(6), 646-9 (2004).
Underwater structures
Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).
Veneers
Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).
Verification
Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).
Viscoelasticity
Linear Viscoelastic Analysis of Asphalt Mastics. — Yong-Rak Kim and D. N. Little; 16(2), 122-32 (2004).
Thermodynamic Framework for the Constitutive Modeling of Asphalt Concrete: Theory and Applications. — J. Murali Krishnan and K. R. Rajagopal; 16(2), 155-66 (2004).
Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).
Linear Viscoelastic and Fatigue Characteristics of Styrene–Butadiene–Styrene Modified Asphalt Mixtures. — Robert Lundström and Ulf Isacsson; 16(6), 629-38 (2004).
Viscoplasticity
Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).
Application of a Temperature Dependent Viscoplastic Hierarchical Single Surface Model for Asphalt Mixtures. — Baoshan Huang, Louay N. Mohammad, and G. Wije Wathugala; 16(2), 147-54 (2004).
Viscosity
Flow Performance of High-Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(6), 588-96 (2004).
Walls
Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).
Waste storage
Contaminant Barrier Material Textural Response to Interaction with Aqueous Polymers. — John L. Daniels and Hilary I. Inyang; 16(3), 265-75 (2004).
Water pipelines
Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).
Weathering
Reanalysis of Thickness Loss Data for Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 16(3), 237-46 (2004).
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).
Wood
Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).
Wood floors
Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).
Wood products
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).
X-ray analysis
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).
Yield stress
Yield Model of High Fluidity Concrete in Fresh State. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 195-201 (2004).
Zinc
Environmental Factors Affecting Corrosion of Galvanized Steel Wires. — Keita Suzumura and Shun-ichi Nakamura; 16(1), 1-7 (2004).
Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).

Author Index

Abbas, A. R.
Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).

Aiello, M. A.
Cracking and Deformability Analysis of Reinforced Concrete Beams Strengthened with Externally Bonded Carbon Fiber Reinforced Polymer Sheets. — M. A. Aiello and L. Ombres; 16(5), 392-9 (2004).

Airey, Gordon D.
Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).

Akcay, Burcu
Variation of In-Place Concrete Core Strength in Structures from Istanbul Area: Statistical Analysis of Concrete Core Data. — Burcu Akcay; 16(5), 507-10 (T) (2004).

Albrecht, Pedro
Reanalysis of Thickness Loss Data for Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 16(3), 237-46 (2004).

Al-Omari, Aslam
Analytical Derivation of Permeability and Numerical Simulation of Fluid Flow in Hot-Mix Asphalt. — Eyad Masad, Bjorn Birgisson, Aslam Al-Omari, and Allen Cooley; 16(5), 487-96 (2004).

Altoubat, Salah A.
Fracture of Plain and Fiber-Reinforced Concrete Slabs under Monotonic Loading. — Jeffery R. Roesler, David A. Lange, Salah A. Altoubat, Klaus-Alexander Rieder, and Gregory R. Ulreich; 16(5), 452-60 (2004).

Anderson, R. Michael
Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).

Atiş, Cengiz Duran
Carbonation-Porosity-Strength Model for Fly Ash Concrete. — Cengiz Duran Atiş; 16(1), 91-4 (2004).

Atkinson, Alan
Selection of Cementitious Mixes as a Barrier for Landfill Leachate Containment. — Eshmaiel Ganjian, Peter A. Claisse, Mark Tyrer, and Alan Atkinson; 16(5), 477-86 (2004).

Bastianini, F.
Mechanical and Nondestructive Testing to Verify the Effectiveness of Composite Strengthening on Historical Cast Iron Bridge in Venice, Italy. — F. Bastianini, L. Ceriolo, A. Di Tommaso, and G. Zaffaroni; 16(5), 407-13 (2004).

Bayer, Jack J., Jr.
Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Bayomy, Fouad
Prediction of Hot Mix Asphalt Stability Using the Superpave Gyratory Compactor. — Samer Dessouky, Eyad Masad, and Fouad Bayomy; 16(6), 578-87 (2004).

Benda, Christopher C.
Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Bhattacharjee, B.
Permeable Porosity and Thermal Conductivity of Construction Materials. — B. Bhattacharjee and S. Krishnamoorthy; 16(4), 322-30 (2004).

Birgisson, B.
Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).

Birgisson, Bjorn
Analytical Derivation of Permeability and Numerical Simulation of Fluid Flow in Hot-Mix Asphalt. — Eyad Masad, Bjorn Birgisson, Aslam Al-Omari, and Allen Cooley; 16(5), 487-96 (2004).

Bonfiglioli, Barbara
Dynamic Testing of Reinforced Concrete Beams Damaged and Repaired with Fiber Reinforced Polymer Sheets. — Barbara Bonfiglioli, Giovanni Pascale, and Sonia Martinez de Mingo; 16(5), 400-6 (2004).

Brounstein, Robert A.
Influence of Fiber-Reinforced Concrete on Radon Concentrations. — Robert A. Brounstein and William H. Johnson; 16(6), 646-9 (2004).

Brumfield, Jimmy
Investigation of the Gyration Angle of Superpave Gyratory Compactors. — M. Shane Buchanan, Jimmy Brumfield, and Richard Sheffield; 16(5), 444-51 (2004).

Buchanan, M. Shane
Investigation of the Gyration Angle of Superpave Gyratory Compactors. — M. Shane Buchanan, Jimmy Brumfield, and Richard Sheffield; 16(5), 444-51 (2004).

Buttlar, W. G.
Discrete Element Modeling to Predict the Modulus of Asphalt Concrete Mixtures. — Z. You and W. G. Buttlar; 16(2), 140-6 (2004).

Cebon, D.
Micromechanical Modeling of Steady-State Deformation in Asphalt. — V. S. Deshpande and D. Cebon; 16(2), 100-6 (2004).

Ceriolo, L.
Mechanical and Nondestructive Testing to Verify the Effectiveness of Composite Strengthening on Historical Cast Iron Bridge in Venice, Italy. — F. Bastianini, L. Ceriolo, A. Di Tommaso, and G. Zaffaroni; 16(5), 407-13 (2004).

Chehab, Ghassan R.
Issues Affecting Measurement of the Complex Modulus of Asphalt Concrete. — Jo Sias Daniel, Ghassan R. Chehab, and Y. Richard Kim; 16(5), 469-76 (2004).

Chen, Jian-Shiuh
Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).

Cheng, Fu-Ping
Stress-Strain Curves for High Strength Concrete at Elevated Temperatures. — Fu-Ping Cheng, V. K. R. Kodur, and Tien-Chih Wang; 16(1), 84-90 (2004).

Choi, Young-Hwan
Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).

Claisse, Peter A.
Selection of Cementitious Mixes as a Barrier for Landfill Leachate Containment. — Eshmaiel Ganjian, Peter A. Claisse, Mark Tyrer, and Alan Atkinson; 16(5), 477-86 (2004).

Cline, Daren B. H.
Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).

Collop, Andrew C.
Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).

Cooley, Allen
Analytical Derivation of Permeability and Numerical Simulation of Fluid Flow in Hot-Mix Asphalt. — Eyad Masad, Bjorn Birgisson, Aslam Al-Omari, and Allen Cooley; 16(5), 487-96 (2004).

Coree, Brian J.
Constitutive Model for High Density Polyethylene Material: Systematic Approach. — Muhannad T. Suleiman and Brian J. Coree; 16(6), 511-5 (2004).

Craft, A. P.
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).

Cramer, Steven M.
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).

Dai, Qingli
Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).

Daniel, Jo Sias
Issues Affecting Measurement of the Complex Modulus of Asphalt Concrete. — Jo Sias Daniel, Ghassan R. Chehab, and Y. Richard Kim; 16(5), 469-76 (2004).

Daniels, John L.
Contaminant Barrier Material Textural Response to Interaction with Aqueous Polymers. — John L. Daniels and Hilary I. Inyang; 16(3), 265-75 (2004).

Deshpande, V. S.
Micromechanical Modeling of Steady-State Deformation in Asphalt. — V. S. Deshpande and D. Cebon; 16(2), 100-6 (2004).

Dessouky, Samer
Prediction of Hot Mix Asphalt Stability Using the Superpave Gyratory Compactor. — Samer Dessouky, Eyad Masad, and Fouad Bayomy; 16(6), 578-87 (2004).

DeVenny, Alan S.
Recycling of Demolished Masonry Rubble as Coarse Aggregate in Concrete: Review. — Fouad M. Khalaf and Alan S. DeVenny; 16(4), 331-40 (2004).
Performance of Brick Aggregate Concrete at High Temperatures. — Fouad M. Khalaf and Alan S. DeVenny; 16(6), 556-65 (2004).

Di Benedetto, Hervé
Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).

Dietrich, B.
Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).

Di Tommaso, A.
Mechanical and Nondestructive Testing to Verify the Effectiveness of Composite Strengthening on Historical Cast Iron Bridge in Venice, Italy. — F. Bastianini, L. Ceriolo, A. Di Tommaso, and G. Zaffaroni; 16(5), 407-13 (2004).

Dondi, Michele
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).
Errata for "Thermal Conductivity of Clay Bricks". — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(3), 287 (2004).

Eggers, John
Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).

Falk, Robert H.
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).

Felton, Colin
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).

Feng, Maria Q.
Application of Neural Networks for Estimation of Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).

Frantzis, Panagiotis
Crumb Rubber-Bitumen Interactions: Diffusion of Bitumen into Rubber. — Panagiotis Frantzis; 16(4), 387-90 (2004).

Ganjian, Eshmaiel
Selection of Cementitious Mixes as a Barrier for Landfill Leachate Containment. — Eshmaiel Ganjian, Peter A. Claisse, Mark Tyrer, and Alan Atkinson; 16(5), 477-86 (2004).

Garavaglia, Elsa
Reliability of Porous Materials: Two Stochastic Approaches. — Elsa Garavaglia, Angela Gianni, and Chiara Molina; 16(5), 419-26 (2004).

Ghaly, Ashraf M.
Compression and Deformation Performance of Concrete Containing Postconsumer Plastics. — Ashraf M. Ghaly and Michael S. Gill; 16(4), 289-96 (2004).

Ghavami, Kh.
Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).

Gianni, Angela
Reliability of Porous Materials: Two Stochastic Approaches. — Elsa Garavaglia, Angela Gianni, and Chiara Molina; 16(5), 419-26 (2004).

Gilchrist, M. D.
Evaluating Four-Point Bend Fatigue of Asphalt Mix Using Image Analysis. — A. M. Hartman and M. D. Gilchrist; 16(1), 60-8 (2004).

Gill, Michael S.
Compression and Deformation Performance of Concrete Containing Postconsumer Plastics. — Ashraf M. Ghaly and Michael S. Gill; 16(4), 289-96 (2004).

Gonçalves da Silva, M. A.
Influence of Environmental Aging on Properties of Polymeric Mortars. — M. A. Gonçalves da Silva; 16(5), 461-8 (2004).

Grubb, Dennis G.
Select Engineering Characteristics of Crushed Glass. — Joseph Wartman, Dennis G. Grubb, and A. S. M. Nasim; 16(6), 526-39 (2004).

Gunaratne, M.
Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).

Harajli, M. H.
Comparison of Bond Strength of Steel Bars in Normal- and High-Strength Concrete. — M. H. Harajli; 16(4), 365-74 (2004).

Hartman, A. M.
Evaluating Four-Point Bend Fatigue of Asphalt Mix Using Image Analysis. — A. M. Hartman and M. D. Gilchrist; 16(1), 60-8 (2004).

Hooper, F
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Hossain, Khandaker M. Anwar
Potential Use of Volcanic Pumice as a Construction Material. — Khandaker M. Anwar Hossain; 16(6), 573-7 (2004).

Huang, Baoshan
Application of a Temperature Dependent Viscoplastic Hierarchical Single Surface Model for Asphalt Mixtures. — Baoshan Huang, Louay N. Mohammad, and G. Wije Wathugala; 16(2), 147-54 (2004).
Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).

Inyang, H. I.
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Inyang, Hilary I.
Contaminant Barrier Material Textural Response to Interaction with Aqueous Polymers. — John L. Daniels and Hilary I. Inyang; 16(3), 265-75 (2004).

Isacsson, Ulf
Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).
Linear Viscoelastic and Fatigue Characteristics of Styrene–Butadiene–Styrene Modified Asphalt Mixtures. — Robert Lundström and Ulf Isacsson; 16(6), 629-38 (2004).

Janoo, Vincent
Effect of Aggregate Angularity on Base Material Properties. — Vincent Janoo, Jack J. Bayer, Jr., and Christopher C. Benda; 16(6), 614-22 (2004).

Jaturapitakkul, Chai
Utilization of Palm Oil Fuel Ash in High-Strength Concrete. — Vanchai Sata, Chai Jaturapitakkul, and Kraiwood Kiattikomol; 16(6), 623-8 (2004).

Johnson, William H.
Influence of Fiber-Reinforced Concrete on Radon Concentrations. — Robert A. Brounstein and William H. Johnson; 16(6), 646-9 (2004).

Kanda, Tetsushi
Multiple Cracking and Fiber Bridging Characteristics of Engineered Cementitious Composites under Fatigue Flexure. — Peerapong Suthiwarapirak, Takashi Matsumoto, and Tetsushi Kanda; 16(5), 433-43 (2004).

Katz, Amnon
Treatments for the Improvement of Recycled Aggregate. — Amnon Katz; 16(6), 597-603 (2004).

Khalaf, Fouad M.
Recycling of Demolished Masonry Rubble as Coarse Aggregate in Concrete: Review. — Fouad M. Khalaf and Alan S. DeVenny; 16(4), 331-40 (2004).
Performance of Brick Aggregate Concrete at High Temperatures. — Fouad M. Khalaf and Alan S. DeVenny; 16(6), 556-65 (2004).

Kiattikomol, Kraiwood
Utilization of Palm Oil Fuel Ash in High-Strength Concrete. — Vanchai Sata, Chai Jaturapitakkul, and Kraiwood Kiattikomol; 16(6), 623-8 (2004).

Kim, Doo Kie
Application of Neural Networks for Estimation of Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).

Kim, Jong-In
Application of Neural Networks for Estimation of Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).

Kim, Y. Richard
Issues Affecting Measurement of the Complex Modulus of Asphalt Concrete. — Jo Sias Daniel, Ghassan R. Chehab, and Y. Richard Kim; 16(5), 469-76 (2004).

Kim, Yong-Rak
Linear Viscoelastic Analysis of Asphalt Mastics. — Yong-Rak Kim and D. N. Little; 16(2), 122-32 (2004).

Kodur, V. K. R.
Stress-Strain Curves for High Strength Concrete at Elevated Temperatures. — Fu-Ping Cheng, V. K. R. Kodur, and Tien-Chih Wang; 16(1), 84-90 (2004).

Krishnamoorthy, S.
Permeable Porosity and Thermal Conductivity of Construction Materials. — B. Bhattacharjee and S. Krishnamoorthy; 16(4), 322-30 (2004).

Krüger, Markus
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).

Kumara, M. W.
Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).

LaFave, James M.
Performance of Corrugated Metal Ties for Brick Veneer Wall Systems. — Young-Hwan Choi and James M. LaFave; 16(3), 202-11 (2004).

Lange, David A.
Fracture of Plain and Fiber-Reinforced Concrete Slabs under Monotonic Loading. — Jeffery R. Roesler, David A. Lange, Salah A. Altoubat, Klaus-Alexander Rieder, and Gregory R. Ulreich; 16(5), 452-60 (2004).

Lee, Hyun-Jong
Mechanical Characteristics of Axially Restrained Concrete Specimens at Early Ages. — Eun-Ik Yang, Seong-Tae Yi, and Hyun-Jong Lee; 16(1), 35-44 (2004).

Li, Guoqiang
Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).

Li, Yongqi
Fatigue Characteristics of Asphalt Concrete from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 16(4), 306-14 (2004).

Li, Zhuguo
Yield Model of High Fluidity Concrete in Fresh State. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 195-201 (2004).
Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).
Flow Performance of High-Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(6), 588-96 (2004).

Li, Zongjin
Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).

Lin, Deng-Fong
Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).

Lin, Kuei-Yi
Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).

Little, D. N.
Linear Viscoelastic Analysis of Asphalt Mastics. — Yong-Rak Kim and D. N. Little; 16(2), 122-32 (2004).

Little, Dallas N.
Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).

Liu, Chiu
Temperature Field of Mass Concrete in a Pipe Lattice. — Chiu Liu; 16(5), 427-32 (2004).

Liu, J.
Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).

Lok, T. S.
Impact Response of Steel Fiber-Reinforced Concrete Using a Split Hopkinson Pressure Bar. — T. S. Lok and P. J. Zhao; 16(1), 54-9 (2004).

Lokuge, Weena P.
Constitutive Model for Confined High Strength Concrete Subjected to Cyclic Loading. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 16(4), 297-305 (2004).

Lopez-Anido, Roberto
Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).

Lu, J. J.
Methodology for Random Surface-Initiated Crack Growth Prediction in Asphalt Pavements. — M. W. Kumara, M. Gunaratne, J. J. Lu, and B. Dietrich; 16(2), 175-85 (2004).

Lundin, Thomas
Accelerated Weathering of Natural Fiber-Filled Polyethylene Composites. — Thomas Lundin, Steven M. Cramer, Robert H. Falk, and Colin Felton; 16(6), 547-55 (2004).

Lundstrom, Robert
Influence of Asphalt Mixture Stiffness on Fatigue Failure. — Robert Lundstrom, Hervé Di Benedetto, and Ulf Isacsson; 16(6), 516-25 (2004).

Lundström, Robert
Linear Viscoelastic and Fatigue Characteristics of Styrene–Butadiene–Styrene Modified Asphalt Mixtures. — Robert Lundström and Ulf Isacsson; 16(6), 629-38 (2004).

Luo, Huan-Lin
Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).

Lytton, Robert L.
Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).

Mahboub, Kamyar C.
Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).

Martinez de Mingo, Sonia
Dynamic Testing of Reinforced Concrete Beams Damaged and Repaired with Fiber Reinforced Polymer Sheets. — Barbara Bonfiglioli, Giovanni Pascale, and Sonia Martinez de Mingo; 16(5), 400-6 (2004).

Martínez-Madrid, Miguel
Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).

Masad, E. A.
Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).

Masad, Eyad
Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).
Advances in Microstructure Characterization, Micromechanics, and Constitutive Modeling of Hot Mix Asphalt. — Eyad Masad and Louay Mohammad; 16(2), 99 (2004).
Analytical Derivation of Permeability and Numerical Simulation of Fluid Flow in Hot-Mix Asphalt. — Eyad Masad, Bjorn Birgisson, Aslam Al-Omari, and Allen Cooley; 16(5), 487-96 (2004).
Prediction of Hot Mix Asphalt Stability Using the Superpave Gyratory Compactor. — Samer Dessouky, Eyad Masad, and Fouad Bayomy; 16(6), 578-87 (2004).

Matsumoto, Takashi
Multiple Cracking and Fiber Bridging Characteristics of Engineered Cementitious Composites under Fatigue Flexure. — Peerapong Suthiwarapirak, Takashi Matsumoto, and Tetsushi Kanda; 16(5), 433-43 (2004).

Mazzanti, Francesca
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).
Errata for "Thermal Conductivity of Clay Bricks". — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(3), 287 (2004).

McCuen, Richard H.
Reanalysis of Thickness Loss Data for Weathering Steel. — Richard H. McCuen and Pedro Albrecht; 16(3), 237-46 (2004).

Mesbah, A.
Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).

Metcalf, John B.
Fatigue Characteristics of Asphalt Concrete from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 16(4), 306-14 (2004).

Michael, Antonis P.
Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).

Mohammad, Louay
Advances in Microstructure Characterization, Micromechanics, and Constitutive Modeling of Hot Mix Asphalt. — Eyad Masad and Louay Mohammad; 16(2), 99 (2004).
Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).

Mohammad, Louay N.
Application of a Temperature Dependent Viscoplastic Hierarchical Single Surface Model for Asphalt Mixtures. — Baoshan Huang, Louay N. Mohammad, and G. Wije Wathugala; 16(2), 147-54 (2004).

Molina, Chiara
Reliability of Porous Materials: Two Stochastic Approaches. — Elsa Garavaglia, Angela Gianni, and Chiara Molina; 16(5), 419-26 (2004).

Morel, J. C.
Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).

Mu, Bin
Failure Mechanism of Concrete under Fatigue Compressive Load. — Bin Mu, Kolluru V. Subramaniam, and S. P. Shah; 16(6), 566-72 (2004).

Murali Krishnan, J.
Thermodynamic Framework for the Constitutive Modeling of Asphalt Concrete: Theory and Applications. — J. Murali Krishnan and K. R. Rajagopal; 16(2), 155-66 (2004).

Nakamura, Shun-ichi
Environmental Factors Affecting Corrosion of Galvanized Steel Wires. — Keita Suzumura and Shun-ichi Nakamura; 16(1), 1-7 (2004).

Napier, J. A. L.
Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).

Nasim, A. S. M.
Select Engineering Characteristics of Crushed Glass. — Joseph Wartman, Dennis G. Grubb, and A. S. M. Nasim; 16(6), 526-39 (2004).

Ogunro, V. O.
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Ohkubo, Taka-aki
Yield Model of High Fluidity Concrete in Fresh State. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 195-201 (2004).
Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).
Flow Performance of High-Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(6), 588-96 (2004).

Ombres, L.
Cracking and Deformability Analysis of Reinforced Concrete Beams Strengthened with Externally Bonded Carbon Fiber Reinforced Polymer Sheets. — M. A. Aiello and L. Ombres; 16(5), 392-9 (2004).

Oturkar, A.
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Ožbolt, Joško
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).

Packer, Jeffrey A.
Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).

Palit, S. K.
Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).

Pandey, B. B.
Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).

Pang, Su-Seng
Investigation into Waste Tire Rubber-Filled Concrete. — Baoshan Huang, Guoqiang Li, Su-Seng Pang, and John Eggers; 16(3), 187-94 (2004).

Papagiannakis, A. T.
Linear and Nonlinear Viscoelastic Analysis of the Microstructure of Asphalt Concretes. — A. R. Abbas, A. T. Papagiannakis, and E. A. Masad; 16(2), 133-9 (2004).

Parameswaran, Venkitanarayanan
Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).

Pascale, Giovanni
Dynamic Testing of Reinforced Concrete Beams Damaged and Repaired with Fiber Reinforced Polymer Sheets. — Barbara Bonfiglioli, Giovanni Pascale, and Sonia Martinez de Mingo; 16(5), 400-6 (2004).

Peterson, Robert L.
Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).

Principi, Paolo
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).
Errata for "Thermal Conductivity of Clay Bricks". — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(3), 287 (2004).

Rahimzadeh, Behzad
Linear Rheological Behavior of Bituminous Paving Materials. — Gordon D. Airey, Behzad Rahimzadeh, and Andrew C. Collop; 16(3), 212-20 (2004).

Raimondo, Mariarosa
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).
Errata for "Thermal Conductivity of Clay Bricks". — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(3), 287 (2004).

Rajagopal, K. R.
Thermodynamic Framework for the Constitutive Modeling of Asphalt Concrete: Theory and Applications. — J. Murali Krishnan and K. R. Rajagopal; 16(2), 155-66 (2004).

Rebeiz, K. S.
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).

Reddy, K. Sudhakar
Laboratory Evaluation of Crumb Rubber Modified Asphalt Mixes. — S. K. Palit, K. Sudhakar Reddy, and B. B. Pandey; 16(1), 45-53 (2004).

Reinhardt, Hans-Wolf
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).

Rieder, Klaus-Alexander
Fracture of Plain and Fiber-Reinforced Concrete Slabs under Monotonic Loading. — Jeffery R. Roesler, David A. Lange, Salah A. Altoubat, Klaus-Alexander Rieder, and Gregory R. Ulreich; 16(5), 452-60 (2004).

Roesler, Jeffery R.
Fracture of Plain and Fiber-Reinforced Concrete Slabs under Monotonic Loading. — Jeffery R. Roesler, David A. Lange, Salah A. Altoubat, Klaus-Alexander Rieder, and Gregory R. Ulreich; 16(5), 452-60 (2004).

Roque, R.
Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).

Roy, Amitava
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Sadd, Martin H.
Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).

Sandford, Thomas C.
Freeze-Thaw Resistance of Fiber-Reinforced Polymer Composites Adhesive Bonds with Underwater Curing Epoxy. — Roberto Lopez-Anido, Antonis P. Michael, and Thomas C. Sandford; 16(3), 283-6 (2004).

Sanjayan, J. G.
Constitutive Model for Confined High Strength Concrete Subjected to Cyclic Loading. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 16(4), 297-305 (2004).

Sarkar, Shondeep L.
Testing the Effectiveness of Class C and Class F Fly Ash in Controlling Expansion due to Alkali-Silica Reaction Using Modified ASTM C 1260 Test Method. — Chang-Seon Shon, Shondeep L. Sarkar, and Dan G. Zollinger; 16(1), 20-7 (2004).

Sata, Vanchai
Utilization of Palm Oil Fuel Ash in High-Strength Concrete. — Vanchai Sata, Chai Jaturapitakkul, and Kraiwood Kiattikomol; 16(6), 623-8 (2004).

Seals, Roger K.
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Seica, Michael V.
Mechanical Properties and Strength of Aged Cast Iron Water Pipes. — Michael V. Seica and Jeffrey A. Packer; 16(1), 69-77 (2004).

Sen, Rajan
Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).

Serhal, S. P.
Properties of Polymer Concrete Using Fly Ash. — K. S. Rebeiz, S. P. Serhal, and A. P. Craft; 16(1), 15-9 (2004).

Setunge, Sujeeva
Constitutive Model for Confined High Strength Concrete Subjected to Cyclic Loading. — Weena P. Lokuge, J. G. Sanjayan, and Sujeeva Setunge; 16(4), 297-305 (2004).

Shah, S. P.
Failure Mechanism of Concrete under Fatigue Compressive Load. — Bin Mu, Kolluru V. Subramaniam, and S. P. Shah; 16(6), 566-72 (2004).

Sheffield, Richard
Investigation of the Gyration Angle of Superpave Gyratory Compactors. — M. Shane Buchanan, Jimmy Brumfield, and Richard Sheffield; 16(5), 444-51 (2004).

Shen, Bin
Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).

Shi, Caijun
Steel Slag—Its Production, Processing, Characteristics, and Cementitious Properties. — Caijun Shi; 16(3), 230-6 (2004).

Shon, Chang-Seon
Testing the Effectiveness of Class C and Class F Fly Ash in Controlling Expansion due to Alkali-Silica Reaction Using Modified ASTM C 1260 Test Method. — Chang-Seon Shon, Shondeep L. Sarkar, and Dan G. Zollinger; 16(1), 20-7 (2004).

Shukla, Arun
Microstructural Simulation of Asphalt Materials: Modeling and Experimental Studies. — Martin H. Sadd, Qingli Dai, Venkitanarayanan Parameswaran, and Arun Shukla; 16(2), 107-15 (2004).

Soranakom, C.
Microstructure and Fracture in Asphalt Mixtures Using a Boundary Element Approach. — B. Birgisson, C. Soranakom, J. A. L. Napier, and R. Roque; 16(2), 116-21 (2004).

Subramaniam, Kolluru V.
Failure Mechanism of Concrete under Fatigue Compressive Load. — Bin Mu, Kolluru V. Subramaniam, and S. P. Shah; 16(6), 566-72 (2004).

Suleiman, Muhannad T.
Constitutive Model for High Density Polyethylene Material: Systematic Approach. — Muhannad T. Suleiman and Brian J. Coree; 16(6), 511-5 (2004).

Suthiwarapirak, Peerapong
Multiple Cracking and Fiber Bridging Characteristics of Engineered Cementitious Composites under Fatigue Flexure. — Peerapong Suthiwarapirak, Takashi Matsumoto, and Tetsushi Kanda; 16(5), 433-43 (2004).

Suzumura, Keita
Environmental Factors Affecting Corrosion of Galvanized Steel Wires. — Keita Suzumura and Shun-ichi Nakamura; 16(1), 1-7 (2004).

Świt, Grzegorz
Evaluation of Compliance Changes in Concrete Beams Reinforced by Glass Fiber Reinforced Plastics Using Acoustic Emission. — Grzegorz Świt; 16(5), 414-8 (2004).

Tamuzs, Vitauts
Strengthening of Concrete Structures with Advanced Composite Materials: Prospects and Problems. — Vitauts Tamuzs and Ralejs Tepfers; 16(5), 391 (2004).

Tanigawa, Yasuo
Yield Model of High Fluidity Concrete in Fresh State. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 195-201 (2004).
Theoretical Analysis of Time-Dependence and Thixotropy of Fluidity for High Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(3), 247-56 (2004).
Flow Performance of High-Fluidity Concrete. — Zhuguo Li, Taka-aki Ohkubo, and Yasuo Tanigawa; 16(6), 588-96 (2004).

Tashman, Laith
Comparing Superpave Gyratory Compactor Data to Field Cores. — Robert L. Peterson, Kamyar C. Mahboub, R. Michael Anderson, Eyad Masad, and Laith Tashman; 16(1), 78-83 (2004).

Tepfers, Ralejs
Strengthening of Concrete Structures with Advanced Composite Materials: Prospects and Problems. — Vitauts Tamuzs and Ralejs Tepfers; 16(5), 391 (2004).

Thomas, Wilfred H.
Bending-Punching Shear Interaction in an Oriented Strand Board. — Wilfred H. Thomas; 16(4), 341-8 (2004).

Tittsworth, Roland
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Torres-Acosta, Andrés A.
Cathodic Protection of Reinforcing Steel in Concrete Using Conductive-Polymer System. — Andrés A. Torres-Acosta, Rajan Sen, and Miguel Martínez-Madrid; 16(4), 315-21 (2004).

Tyrer, Mark
Selection of Cementitious Mixes as a Barrier for Landfill Leachate Containment. — Eshmaiel Ganjian, Peter A. Claisse, Mark Tyrer, and Alan Atkinson; 16(5), 477-86 (2004).

Ulreich, Gregory R.
Fracture of Plain and Fiber-Reinforced Concrete Slabs under Monotonic Loading. — Jeffery R. Roesler, David A. Lange, Salah A. Altoubat, Klaus-Alexander Rieder, and Gregory R. Ulreich; 16(5), 452-60 (2004).

Vipulanandan, C.
Long-Term Performance of Epoxy Coated Clay Bricks in Sulfuric Acid. — J. Liu and C. Vipulanandan; 16(4), 349-55 (2004).

Walker, P.
Development of a Direct Tensile Test for Compacted Earth Blocks Reinforced with Natural Fibers. — A. Mesbah, J. C. Morel, P. Walker, and Kh. Ghavami; 16(1), 95-8 (2004).

Walker, Peter J.
Strength and Erosion Characteristics of Earth Blocks and Earth Block Masonry. — Peter J. Walker; 16(5), 497-506 (2004).

Wang, Her-Yung
Assessment of Fire-Damaged Mortar Using Digital Image Process. — Deng-Fong Lin, Her-Yung Wang, and Huan-Lin Luo; 16(4), 383-6 (2004).

Wang, Lan
Mineralogy of Soil Susceptible to Sulfate Attack after Stabilization. — Lan Wang, Amitava Roy, Roland Tittsworth, and Roger K. Seals; 16(4), 375-82 (2004).

Wang, Linbing
Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).

Wang, Tien-Chih
Stress-Strain Curves for High Strength Concrete at Elevated Temperatures. — Fu-Ping Cheng, V. K. R. Kodur, and Tien-Chih Wang; 16(1), 84-90 (2004).

Wang, X.
Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).

Wang, Yongping
Application of Mixture Theory in the Evaluation of Mechanical Properties of Asphalt Concrete. — Linbing Wang, X. Wang, Louay Mohammad, and Yongping Wang; 16(2), 167-74 (2004).

Wartman, Joseph
Select Engineering Characteristics of Crushed Glass. — Joseph Wartman, Dennis G. Grubb, and A. S. M. Nasim; 16(6), 526-39 (2004).

Wathugala, G. Wije
Application of a Temperature Dependent Viscoplastic Hierarchical Single Surface Model for Asphalt Mixtures. — Baoshan Huang, Louay N. Mohammad, and G. Wije Wathugala; 16(2), 147-54 (2004).

Xu; Shilang
Bond Characteristics of Carbon, Alkali Resistant Glass, and Aramid Textiles in Mortar. — Shilang Xu, Markus Krüger, Hans-Wolf Reinhardt, and Joško Ožbolt; 16(4), 356-64 (2004).

Yang, Eun-Ik
Mechanical Characteristics of Axially Restrained Concrete Specimens at Early Ages. — Eun-Ik Yang, Seong-Tae Yi, and Hyun-Jong Lee; 16(1), 35-44 (2004).

Yang, Guiqin
Ternary and Multivariate Quality Control Charts of Aggregate Gradation for Hot Mix Asphalt. — Guiqin Yang, Daren B. H. Cline, Robert L. Lytton, and Dallas N. Little; 16(1), 28-34 (2004).

Yazdani, Frank
Application of Neural Networks for Estimation of Concrete Strength. — Jong-In Kim, Doo Kie Kim, Maria Q. Feng, and Frank Yazdani; 16(3), 257-64 (2004).

Yi, Seong-Tae
Mechanical Characteristics of Axially Restrained Concrete Specimens at Early Ages. — Eun-Ik Yang, Seong-Tae Yi, and Hyun-Jong Lee; 16(1), 35-44 (2004).

You, Z.
Discrete Element Modeling to Predict the Modulus of Asphalt Concrete Mixtures. — Z. You and W. G. Buttlar; 16(2), 140-6 (2004).

Young, D.
Gradation Control of Bottom Ash Aggregate in Superpave Bituminous Mixes. — V. O. Ogunro, H. I. Inyang, F Hooper, D. Young, and A. Oturkar; 16(6), 604-13 (2004).

Young, Sian-Yun
Effects of Crack Width and Permeability on Moisture-Induced Damage of Pavements. — Jian-Shiuh Chen, Kuei-Yi Lin, and Sian-Yun Young; 16(3), 276-82 (2004).

Zaffaroni, G.
Mechanical and Nondestructive Testing to Verify the Effectiveness of Composite Strengthening on Historical Cast Iron Bridge in Venice, Italy. — F. Bastianini, L. Ceriolo, A. Di Tommaso, and G. Zaffaroni; 16(5), 407-13 (2004).

Zanarini, Giorgio
Thermal Conductivity of Clay Bricks. — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(1), 8-14 (2004).
Errata for "Thermal Conductivity of Clay Bricks". — Michele Dondi, Francesca Mazzanti, Paolo Principi, Mariarosa Raimondo, and Giorgio Zanarini; 16(3), 287 (2004).

Zhao, P. J.
Impact Response of Steel Fiber-Reinforced Concrete Using a Split Hopkinson Pressure Bar. — T. S. Lok and P. J. Zhao; 16(1), 54-9 (2004).

Zhou, Xiangming
Fiber-Cement Extrudates with Perlite Subjected to High Temperatures. — Zongjin Li, Xiangming Zhou, and Bin Shen; 16(3), 221-9 (2004).

Zollinger, Dan G.
Testing the Effectiveness of Class C and Class F Fly Ash in Controlling Expansion due to Alkali-Silica Reaction Using Modified ASTM C 1260 Test Method. — Chang-Seon Shon, Shondeep L. Sarkar, and Dan G. Zollinger; 16(1), 20-7 (2004).